








### ERG TROFFER RETROFIT KITS

- Ideal for upgrading conventional fluorescent lighting fixtures to energy saving LEDs.
- Retrofit kits use existing linear fixtures.
- Quick and easy transition to energy efficient LEDs.
- Effortless installation with self-tapping screws and dimmable LED driver.
- Fixture sizes ranging from 1x4, 2x2 and 2x4.
- Install in less than 10 minutes
- Designed and Manufactured in the USA!

**RETROFIT KITS PROVIDE UP TO 70% ENERGY SAVINGS. DLC LISTED MODELS MAY QUALIFY FOR REBATE INCENTIVES**

Each Retrofit Kit comes standard with dimming capabilities and is available in 3000K, 3500K, 4000K and 5000K color temperatures, making them ideal for applications such as:

-  Government
-  Offices
-  Classrooms
-  Healthcare
-  Industrial




### TYPICAL ELECTRICAL SPECIFICATIONS AT FIXTURE LEVEL

#### LED TROFFER RETROFIT KITS

Kit Number	Color Temp	Total System Lumens	Total Module Power	Module Efficacy	Drive Current Per Module
<b>2x4 LED TROFFER RETROFIT KITS (2-TUBE REPLACEMENT USING TWO 45" MODULES)</b>					
ERGL24L30D2-3000K	3000K	3857 lm	26W	149 lm/W	450 mA
ERGL24L30D2-3500K	3500K	3919 lm	26W	151 lm/W	450 mA
ERGL24L30D2-4000K	4000K	3982 lm	26W	154 lm/W	450 mA
ERGL24L30D2-5000K	5000K	4106 lm	26W	158 lm/W	450 mA
<b>2x4 LED TROFFER RETROFIT KITS (2-TUBE REPLACEMENT USING THREE 45" MODULES)</b>					
ERGL24L30D3-3000K	3000K	3182 lm	21W	152 lm/W	225 mA
ERGL24L30D3-3500K	3500K	3233 lm	21W	154 lm/W	225 mA
ERGL24L30D3-4000K	4000K	3285 lm	21W	156 lm/W	225 mA
ERGL24L30D3-5000K	5000K	3387 lm	21W	161 lm/W	225 mA
<b>2x4 LED TROFFER RETROFIT KITS (2-TUBE REPLACEMENT USING FOUR 45" MODULES)</b>					
ERGL24L30D4-3000K	3000K	3825 lm	26W	148 lm/W	225 mA
ERGL24L30D4-3500K	3500K	3871 lm	26W	149 lm/W	225 mA
ERGL24L30D4-4000K	4000K	3917 lm	26W	151 lm/W	225 mA
ERGL24L30D4-5000K	5000K	4009 lm	26W	155 lm/W	225 mA
<b>1x4 LED TROFFER RETROFIT KITS (2-TUBE REPLACEMENT USING TWO 22" MODULES)</b>					
ERGL14L26D-3000K	3000K	2709 lm	28W	96 lm/W	450 mA
ERGL14L26D-3500K	3500K	2841 lm	28W	100 lm/W	450 mA
ERGL14L26D-4000K	4000K	2973 lm	28W	105 lm/W	450 mA
ERGL14L26D-5000K	5000K	3237 lm	28W	114 lm/W	450 mA
<b>2x2 LED TROFFER RETROFIT KITS (2-TUBE REPLACEMENT USING THREE 22" MODULES)</b>					
ERGL22L23D-3000K	3000K	2709 lm	19W	113 lm/W	450 mA
ERGL22L23D-3500K	3500K	2841 lm	19W	117 lm/W	450 mA
ERGL22L23D-4000K	4000K	2973 lm	19W	122 lm/W	450 mA
ERGL22L23D-5000K	5000K	3237 lm	19W	131 lm/W	450 mA

### WIRING SCENARIOS FOR RETROFIT KITS



### E30W225-4D DIMMABLE DRIVER



- **Universal Input Voltage of 120-277 VAC**
- **Constant Current Design**
- **Four (4) Independent Outputs**
- **Regulated Output Current of 225ma per channel**
- **0-10V Dimming**
- **Rated for Dry and Damp locations**
- **Designed and Manufactured in the USA!**

### LED Module Dimensions

#### 22" Module



#### 45" Module



***For additional information please visit [www.erglighting.com](http://www.erglighting.com).***